


# How to give injection medicine under the skin (via a subcutaneous cannula)


1

This is a subcutaneous cannula.




2

A doctor/nurse would have inserted a subcutaneous cannula for your loved one. Ensure the site is clean and not red.



3

Ensure medication in the pre-filled syringe is for correct indication. Ensure normal saline 0.9% flush is available.




4

Wash and dry your hands. Your doctor/nurse would advise you if you can inject medication straight into this stopper (4a) or you need to remove the cap (4b).




4A

**WITHOUT REMOVING CAP**  
Use alcohol swab to clean the stopper. Securely attach the syringe onto the cannula using a twisting motion.



4B

**REMOVE THE CAP**  
Use alcohol swab to clean the opening port. Securely attach the syringe onto the cannula port using a twisting motion.




Scan here  
for more resources

# How to give injection medicine under the skin (via a subcutaneous cannulae)

5

Ensure clamp is unclamped.




6

Slowly and gently push the syringe to allow medication into the tubing.




7

Unscrew the medication syringe using twisting motion. Then securely attach the pre-filled normal saline syringe. Slowly and gently push the syringe to inject normal saline into the tubing.




8

Press to clamp. Attach the cap back onto the cannula, if applicable.



9

Discard the used syringe. Note down date and time of administration, and whether symptom improves.



Scan here  
for more resources